



# ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **43-152-17**

Valid from: 2024 05 17  
until: 2026 05 17

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **PC Electric Ges.m.b.H.**  
Diesseits 145  
4973 St. Martin im Innkreis  
Austria

Product: **Fixed socket outlets for industrial purposes**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **3722-1860/23**

**Österreichischer Verband für Elektrotechnik**  
Head of OVE Certification

*T. Neumayer*

Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer

Wien, 2024 04 10



## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



**Manufacturer:**

PC Electric Ges.m.b.H.  
Diesseits 145  
4973 St. Martin im Innkreis  
Austria

**Factory location(s):**

PC Electric Ges.m.b.H.  
Diesseits 145  
4973 St. Martin im Innkreis  
Austria

**Tested and certified according to:**

ÖVE/ÖNORM EN 60309-1:2013-03-01  
ÖVE/ÖNORM EN 60309-2:2013-03-01  
OVE EN IEC 60309-1:2023-07-01  
OVE EN IEC 60309-2:2023-07-01  
IEC 60309-1:2021  
IEC 60309-2:2021

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

**Product: Fixed socket outlets for industrial purposes**

**Type designation:**

*Rating:*

**Trademark:**

**133**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**134**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**135**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1335**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1336**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1345**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1346**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1355**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1356**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**333**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**334**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**335**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**3335**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**3336**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**3345**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**3346**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**3355**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**3356**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**433**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**434**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**435**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4335**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4336**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**4345**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4346**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4355**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4356**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**1337**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1347**

Rated current: 63 A  
3P+PE  
IP 67 oder IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1357**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**13375**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13376**

Rated current: 63 A  
2P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13475**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13476**

Rated current: 63 A  
3P+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13575**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13576**

Rated current: 63 A  
3P+N+PE  
IP 67 or IP 66/IP 67  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1331**

Rated current: 63 A  
2P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**1341**

Rated current: 63 A  
3P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**1351**

Rated current: 63 A  
3P+N+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13351**

Rated current: 63 A  
2P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13361**

Rated current: 63 A  
2P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13451**

Rated current: 63 A  
3P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13461**

Rated current: 63 A  
3P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13551**

Rated current: 63 A  
3P+N+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**13561**

Rated current: 63 A  
3P+N+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**3331**

Rated current: 63 A  
2P+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**3341**

Rated current: 63 A  
3P+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**3351**

Rated current: 63 A  
3P+N+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**33351**

Rated current: 63 A  
2P+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**33361**

Rated current: 63 A  
2P+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**33451**

Rated current: 63 A  
3P+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**33461**

Rated current: 63 A  
3P+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**33551**

Rated current: 63 A  
3P+N+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**33561**

Rated current: 63 A  
3P+N+PE  
IP 44  
straight design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4331**

Rated current: 63 A  
2P+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4341**

Rated current: 63 A  
3P+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**4351**

Rated current: 63 A  
3P+N+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**43351**

Rated current: 63 A  
2P+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**43361**

Rated current: 63 A  
2P+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**43451**

Rated current: 63 A  
3P+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**43461**

Rated current: 63 A  
3P+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**43551**

Rated current: 63 A  
3P+N+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**43561**

Rated current: 63 A  
3P+N+PE  
IP 44  
sloping design  
see typelist

PCE / ELCEE / SIROX / METECEE

**13371**

Rated current: 63 A  
2P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**13471**

Rated current: 63 A  
3P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**13571**

Rated current: 63 A  
3P+N+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**133751**

Rated current: 63 A  
2P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**133761**

Rated current: 63 A  
2P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**134751**

Rated current: 63 A  
3P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**134761**

Rated current: 63 A  
3P+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**135751**

Rated current: 63 A  
3P+N+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

**135761**

Rated current: 63 A  
3P+N+PE  
IP 44  
for wall mounting  
see typelist

PCE / ELCEE / SIROX / METECEE

---

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

1	3	5	7	5	1	-	6	*	v	m
---	---	---	---	---	---	---	---	---	---	---

Lid axis	
blank	made of PC/ABS
m	made of brass (nickel-plated)

Contacts	
blank	uncoated contacts
v	nickel plated contacts

Colour	
blank	standard type
xs	Midnight series
*	reserved for additional colours

Clock position earthing contact	
1	1 h
2	2 h
3	3 h
4	4 h
5	5 h
6	6 h
7	7 h
8	8 h (not available in 4- and 5-poles)
9	9 h
10	10 h
11	11 h
12	12 h

Customer type	
-	Trademark PCE

Degree of protection	
blank	IP67 or IP66/IP67
1	IP44

Pilot contact	
blank	without pilot contact
5	with pilot contact
6	with PCS system

Housing (only for series 13....)	
blank	housing H170 x W118
7	housing H262 x W 162

Poles	
3	3-poles
4	4-poles
5	5-poles

Rated current	
3	63A

Ground type	
1	Wall mounted socket
3	Flanged socket straight
4	Flanged socket sloping

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



### Typelist

Type	Rated current A	Earthing contact pos. h	Rated operating voltage V	Frequency Hz	Insulation voltage V		
333 433 133 1337 3335 4335 1335 13375 3336*) 4336*) 1336*) 13376*)	63	1	Other ratings	Other ratings	500*), 690		
		2	>50	>300 - 500	500*), 690		
		3	>50 – 250	DC	500*), 690		
		4	100 – 130	50 and 60	500*), 690		
		6	200 – 250	50 and 60	500*), 690		
		7	480 – 500	50 and 60	500*), 690		
		8**)	>250	DC	500*), 690		
		9	380 – 415	50 and 60	500*), 690		
		10	>50	>100 - 300	500*), 690		
		12	Supply from an isolating transformer	50 and 60	500*), 690		
		334 434 134 1347 3345 4345 1345 13475 3346*) 4346*) 1346*) 13476*)	63	1	Other ratings	Other ratings	500*), 690
				2	>50	>300 - 500	500*), 690
3	380 440			50 60	500*), 690		
4	100 – 130			50 and 60	500*), 690		
5	600 – 690			50 and 60	690		
6	380 – 415			50 and 60	500*), 690		
7	480 - 500			50 and 60	500*), 690		
9	200 – 250			50 and 60	500*), 690		
10	>50			>100 - 300	500*), 690		
11	440 – 460			60	500*), 690		
12	Supply from an isolating transformer			50 and 60	500*), 690		
335 435 135 1357 3355 4355 1355 13575 3356*) 4356*) 1356*) 13576*)	63			1	Other ratings	Other ratings	500*), 690
		2	>50	>300 - 500	500*), 690		
		3	220/380 250/440	50 60	500*), 690		
		4	57/100 – 75/130	50 and 60	500*), 690		
		5	347/600 – 400/690	50 and 60	690		
		6	200/346 – 240/415	50 and 60	500*), 690		
		7	277/480 – 288/500	50 and 60	500*), 690		
		9	120/208 – 144/250	50 and 60	500*), 690		
		10	>50	>100 - 300	500*), 690		
		11	250/440 – 265/460	60	500*), 690		
		12	Supply from an isolating transformer	50 and 60	500*), 690		

\*) Types 1336, 13376, 3336, 4336, 1346, 13476, 3346, 4346, 1356, 13576, 3356, 4356 with insulation voltage 500 V and with add. marking: "Only for use with electrical interlock"

\*\*\*) Earthing contact position 8h > 250V DC only for types 1335, 13375, 3335, 4335, 1336, 13376, 3336, 4336 with add. marking: "Only for use with electrical interlock"

#### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



### Typelist

Type	Rated current A	Earthing contact pos. h	Rated operating voltage V	Frequency Hz	Insulation voltage V
3331	63	1	Other ratings	Other ratings	500*), 690
4331		2	>50	>300 - 500	500*), 690
1331		3	>50 – 250	DC	500*), 690
13371		4	100 – 130	50 and 60	500*), 690
33351		6	200 – 250	50 and 60	500*), 690
43351		7	480 – 500	50 and 60	500*), 690
13351		8**)	>250	DC	500*), 690
133751		9	380 – 415	50 and 60	500*), 690
33361*)		10	>50	>100 - 300	500*), 690
43361*)		12	Supply from an isolating transformer	50 and 60	500*), 690
13361*)					
133761*)					
3341		63	1	Other ratings	Other ratings
4341	2		>50	>300 - 500	500*), 690
1341	3		380	50	500*), 690
13471			440	60	
33451	4		100 – 130	50 and 60	500*), 690
43451	5		600 – 690	50 and 60	690
13451	6		380 – 415	50 and 60	500*), 690
134751	7		480 - 500	50 and 60	500*), 690
33461*)	9		200 – 250	50 and 60	500*), 690
43461*)	10		>50	>100 - 300	500*), 690
13461*)	11		440 – 460	60	500*), 690
134761*)	12		Supply from an isolating transformer	50 and 60	500*), 690
3351	63		1	Other ratings	Other ratings
4351		2	>50	>300 - 500	500*), 690
1351		3	220/380	50	500*), 690
13571			250/440	60	
33551		4	57/100 – 75/130	50 and 60	500*), 690
43551		5	347/600 – 400/690	50 and 60	690
13551		6	200/346 – 240/415	50 and 60	500*), 690
135751		7	277/480 – 288/500	50 and 60	500*), 690
33561*)		9	120/208 – 144/250	50 and 60	500*), 690
43561*)		10	>50	>100 - 300	500*), 690
13561*)		11	250/440 – 265/460	60	500*), 690
135761*)		12	Supply from an isolating transformer	50 and 60	500*), 690

\*) Types 13361, 133761, 33361, 43361, 13461, 134761, 33461, 43461, 13561, 135761, 33561, 43561 with insulation voltage 500 V and with add. marking: "Only for use with electrical interlock"

\*\*\*) Earthing contact position 8h > 250V DC only for types 13351, 133751, 33351, 43351, 13361, 133761, 33361, 43361 with add. marking: "Only for use with electrical interlock"

#### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

